



Deep RENovation roadmaps to decrease households VulnERability to Energy poveRty

Project No. 101076277

Annex to Deliverable 3.4 - Renovation roadmaps

Due date: 29/02/2024

Dissemination level: PU - Public

Lead beneficiary: CRES

Contributing beneficiaries: NTUA, ISR, GSC, EKODOMA, CMC

This deliverable is not yet officially approved by CINEA



Co-funded by the
European Union





Deep RENovation roadmaps to decrease households VulnERability to Energy poveRty

Project No. 101076277

Deliverable 3.4 - Renovation roadmaps

Annex III: Roadmap III - Social Buildings in Brezovo



Co-funded by the
European Union



Executive summary

The REVERTER roadmaps aim to combat energy poverty through the deep renovation of dwellings occupied by vulnerable households. The roadmaps were developed considering the conclusions and policy recommendations that resulted from the analysis of the best practices and the different characteristics and conditions of the targeted countries. To this end, the roadmaps are tailor-made to the characteristics of the building stock, the characteristics of the vulnerable households, the legislative framework, and the climate conditions of each pilot, while they intend to cover a sufficiently cohesive group of cases that will allow for a larger-scale rollout and replication of the proposed actions for the effective analysis and tackling of the problem. Moreover, the roadmaps target the worst-performing homes first (worst first principle) and promote the most cost-effective energy efficiency and RES interventions (best-possible principle) to ensure that the economic, energy, climate, and social benefits triggered by the implementation of the required energy efficiency and RES interventions are maximised.

The aim of Roadmap III “Social Buildings in Brezovo” is to help alleviate energy poverty in two social buildings in the Municipality of Brezovo through the energy renovation of the building stock. The first building - a family-type accommodation centre - is a residential-type social service that provides a living environment for the full growth and development of children deprived of parental care, for whom, at the time of placement, the possibilities of returning to the biological family, placement with relatives have been exhausted and relatives or foster family. The second building is a family-type accommodation centre in Zelenikovo which offers also individual daily care, medical supervision and psychological support for children deprived of parental care. The two buildings accommodate a total of about 25 residents.

On-site visits and expert assessment of the two social housing buildings established the need for deep renovation of the buildings. Based on the inspections, an analysis was made of the possibilities for:

- energy saving by building envelope renovation
- transition from liquid or solid fuel (raw biomass) to modern and effective heat pump heating;
- introduction of RES source – roof PV installation and solar collectors for DHW.

The overall impacts of the project (i.e. till the end of the project and 5 years beyond project-end) regarding the deep renovation of the two buildings are summarised in Table ES1. It is noted that the planned investments will be carried out with 100% public funding.

Table ES1. Contribution of the REVERTER project to the implementation of the specific roadmap for the renovation of the two social buildings in the period 2025-2030.

Impacts	Energy-poor households – Social buildings
Number of newly renovated buildings	2
Resulted cumulative final energy savings (GWh)	0.118
Resulted cumulative primary energy savings (GWh)	0.311
Resulted cumulative CO₂ reduction (ktn CO₂)	0.042
Resulted employment impacts (person-years)	12.8
Resulted cumulative multiple benefits (million €)	0.0025
Required new investments (million €)	0.826

Table of Contents

1	<i>Introduction</i>	1
1.1	Analysis of the main objectives of the renovation roadmap	1
1.2	Main energy, environmental and climate change legislative and policy framework at national level	1
1.3	Identification of the key stakeholders including the procedures for their engagement.....	3
2	<i>Analysis of the current levels of energy poverty in the pilot area</i>	5
3	<i>Analysis of the conditions in the pilot area</i>	14
3.1	Geographical position	14
3.2	Climate data	14
3.3	Demographic data.....	14
3.4	Energy supply and infrastructures	16
4	<i>Analysis of the building stock</i>	18
4.1	Overview of the building stock	18
4.2	Information about the energy demand and the utilized fuels per building type	21
4.2.1	Residential buildings	21
4.2.2	Public buildings	25
4.3	Analysis of the energy poverty levels per building type	26
4.4	Identification and analysis of existing policies, strategies or investments planned for the pilot area so as to renovate the building stock	30
5	<i>PESTEL analysis</i>	32
6	<i>Roadmap</i>	37
6.1	Methodological approach.....	37
6.2	Step I: Assessment and selection of the most effective energy efficient and RES interventions..	38
6.3	Step II: Identification of the main pathway for the developed scenario	39
6.4	Step III: Determination of the renovated buildings totally	41
6.5	Step V: Calculation of the triggered impacts for all renovated buildings	42
7	<i>Policies and measures</i>	44
8	<i>Investment needs</i>	47
9	<i>Renovations triggered by REVERTER project</i>	48
10	<i>Monitoring and evaluation framework</i>	49

List of Figures

Figure 1. Overview of the involved stakeholders into the preparation of the building renovation roadmap..	4
Figure 2. Share of total population living in a dwelling with leaks.....	5
Figure 3. Share of population not able to keep home adequately warm.	6
Figure 4. Share of population having arrears on utility bills.	6
Figure 5. Share of population having arrears on utility bills only once in the past 12 months.....	7
Figure 6. Share of population having arrears on utility bills twice or more in the past 12 months.....	7
Figure 7. Share of population at EP according to WCI1.	8
Figure 8. Share of population at EP according to WCI2.	8
Figure 9. Share of population at EP according to WCI3.	8
Figure 10. Share of population at EP according to SCI1.	9
Figure 11. Share of population at EP according to SCI2.	9
Figure 12. Share of population at EP according to SCI3.	10
Figure 13. Share of population at EP according to EP12.	10
Figure 14. Share of population whose absolute level of energy expenditures is less than half the national median.....	11
Figure 15. Share of population whose energy expenditure-to-income ratio is more than twice the national median.....	11
Figure 16. Share of population whose absolute level of energy expenditure is more than 10% of their income.	12
Figure 17. Share of population whose energy expenditure exceeds 25% of total expenditures.	12
Figure 18. HPS expenditure-based EP indicators in relation to the level of income.....	13
Figure 19. HPS expenditure-based EP indicators per income group.....	13
Figure 20. Total population by age in Brezovo (source: NSI).	15
Figure 21. Population by gender.	16
Figure 22. Distribution of energy sources in residential buildings in Municipality of Brezovo (Source: Municipal Energy Efficiency Program).....	22
Figure 23. Final energy consumption types of energy source (Source:EMI).....	22
Figure 24. Distribution of energy by usage (Source: Center for Energy Efficiency EnEffect).	23
Figure 25. Distribution of electricity consumption in households by needs (Source: Center for Energy Efficiency EnEffect).	23
Figure 26. Distribution of households according to the type of heating source.....	24
Figure 27. Final energy consumption for heating by energy source, %.	24
Figure 28. Energy sources in municipal buildings.....	25
Figure 29. Leaks, inability to keep house warm and arrears on utility bills in relation to dwelling type.....	26
Figure 30. Leaks, inability to keep house warm and arrears on utility bills in relation to dwelling size.....	27
Figure 31. Leaks, inability to keep house warm and arrears on utility bills in relation to tenure status.....	27
Figure 32. Leaks, inability to keep house warm and arrears on utility bills in relation to the level of difficulty in making ends meet.	28
Figure 33. Complementary EP indicators in relation to dwelling type.....	28
Figure 34. Complementary EP indicators in relation to dwelling size.....	29
Figure 35. Complementary EP indicators in relation to tenure status.....	29
Figure 36. Complementary EP indicators in relation to the level of difficulty in making ends meet.....	30
Figure 37. Applied methodological approach.	37
Figure 40. Overview of the sub-mechanisms within the established monitoring and evaluation framework.	49
Figure 41. Steps for the conduction of the required control and verification activities.	51

List of Tables

Table 1. Population by gender.....	15
Table 2. Number of residential buildings.	21
Table 3. Final energy consumption by energy source.....	21
Table 4. Final energy consumption for heating in households.	24
Table 5. Calculation of final and primary energy consumption and CO2 emissions generated in residential buildings.	25
Table 6. Calculation of final and primary energy consumption and CO2 emissions in Social buildings.	26
Table 7. Identification and assessment of the factors, which affect the building renovation roadmap.	34
Table 8. Examined combinations of energy efficient and RES interventions for Social building.	38
Table 9. Results of the examined energy efficiency and RES interventions.....	39
Table 10. Assessment of measures for Social buildings.	39
Table 11. Estimated unitary results for the selected energy efficiency and RES interventions per building.	40
Table 12. National objectives for renovation of the residential and non-residential building stock.....	42
Table 13. Number of newly renovated buildings for the examined periods.	42
Table 14. Number of cumulatively renovated buildings for the examined periods.	42
Table 15. Resulted cumulative final energy savings (GWh) for the examined periods.....	43
Table 16. Resulted cumulative primary energy savings (GWh) for the examined periods.....	43
Table 17. Resulted cumulative CO2 reduction (ktn CO ₂) for the examined periods.....	43
Table 18. Resulted employment impacts (person-years) for the examined periods.....	43
Table 19. Resulted cumulative multiple benefits (million €) for the examined periods.....	43
Table 20. Required new investments (million €) for the examined periods.	47
Table 21. Required cumulative investments (million €) for the examined periods.	47
Table 22. Contribution of REVERTER project to the implementation of the specific roadmap for the renovation of the two social buildings in the period 2025-2030.	48

1 Introduction

1.1 Analysis of the main objectives of the renovation roadmap

The aim of the building renovation roadmap is to ensure the alleviation of energy poverty in the Brezovo pilot.

In particular, the social buildings renovation roadmap aims to establish a clear framework, addressing the energy poverty in the pilot, tailoring specific strategies to local conditions, assess the existing building stock and to guide the successful implementation of renovation measures.

There are two social buildings in Brezovo. The first building is located in city of Brezovo and represents a family-type accommodation center - a residential-type social service that provides a living environment for the full growth and development of children deprived of parental care, for whom, at the time of placement, the possibilities of returning to the biological family, placement with relatives have been exhausted and relatives or foster family.

The second building – a family-type accommodation center in Zelenikovo village - the center offers individual daily care, medical supervision and psychological support for children deprived of parental care.

It is assumed that both buildings house vulnerable persons and families.

The roadmap aims to set a framework for renovation of the two social buildings by 2030 by achieving the requirements for a NZEB.

1.2 Main energy, environmental and climate change legislative and policy framework at national level

Policies for sustainable energy development in Bulgaria are defined in the following main energy laws - **Law on Energy Efficiency** and **Law on Energy from Renewable Sources**, which both require the development of a number of national documents that must be complied by all regional governments, namely:

Integrated plan for energy and climate of the Republic of Bulgaria 2021 – 2030 (NECP) - defines the country's main goals for stimulating low-carbon economic development, developing competitive and secure energy and reducing dependence on fuel and energy imports. To achieve the goals set in the plan, complex actions are needed in all spheres of socio-economic relations. This is especially true for economic sectors where the potential of existing industries to adopt new technologies must be fully exploited, ensuring a smooth and fair transition to a climate-neutral circular economy, such as the hydrogen economy.

The national energy priorities set out in the plan are summarized as follows:

- increasing energy security and diversification of energy resource supplies;
- development of an integrated and competitive energy market;
- use and development of renewable energy, according to the available resource, network capacity and national specificity;
- increasing energy efficiency by developing and applying new technologies to achieve

modern and sustainable energy;

- consumer protection by guaranteeing fair, transparent and non-discriminatory conditions for using energy services.

Based on the Bulgarian Integrated Energy and Climate Plan in 2030, Bulgaria plans to achieve a 27.89% reduction in primary energy consumption and a 31.67% reduction in final energy consumption. It also intends to reach a 27.09% share of RES in gross final energy consumption by 2030, a 30.33% share of renewable electricity and a 42.60% share of renewable energy for heating and cooling.

National Recovery and Resilience Plan - The main objective of the Recovery and Resilience Plan is to facilitate economic and social recovery from the crisis caused by the COVID-19 pandemic. The green transition occupies a leading position in the Recovery and Sustainability Plan of Bulgaria, concentrating 45.8% of the total estimated costs, with a minimum set of 37% of the European Commission regulation. In this way, Bulgaria contributes to the fulfillment of the pan-European goals for gradual decarbonization. In addition, efforts are focused on three main areas:

- Creation of conditions for accelerated introduction of renewable energy sources and hydrogen;
- Enhanced actions to increase the energy efficiency of the economy;
- Sustainable mobility.

Strategy for sustainable energy development of the Republic of Bulgaria until 2030 with a horizon until 2050 - clearly reflects the trends, measures and policies in the field of energy security, energy efficiency, the liberalization of the electricity and gas markets and their integration into the common European energy market, the development and implementation of new energy technologies. These policies are also reflected in the Integrated Energy and Climate Plan.

The strategy defines the following main priorities:

- Guaranteeing energy security and sustainable energy development;
- Development of an integrated and competitive energy market and consumer protection by guaranteeing transparent, competitive and non-discriminatory conditions for the use of energy services;
- Increasing energy efficiency in the processes from production to final energy consumption;
- Sustainable energy development for clean energy and decarbonization of the economy;
- Implementation of innovative technologies for sustainable energy development.

National Plan for Near Zero Energy Buildings - Local authorities are required to implement the plan under the National Plan for Near Zero Energy Buildings 2015-2020 which aims to make the concept of near zero energy buildings of energy a practically viable alternative to future construction of new buildings in Bulgaria, as well as to implement a proven approach for profitability.

Law on energy efficiency - This law regulates public relations related to the implementation of the state policy to reduce energy efficiency. The law aims to increase energy efficiency as part of the country's sustainable development policy through:

1. use of a system of activities and measures to reduce energy efficiency in production, transmission and distribution, as well as in the final consumption of energy;
2. introduction of obligation schemes for energy needs;
3. development of the market of energy-efficient services and especially the provision of energy-efficient services.

1.3 Identification of the key stakeholders including the procedures for their engagement

The state policy on energy efficiency is implemented by:

- the Minister of Energy - in the field of energy efficiency in the production, transmission and distribution of energy, as well as in the final consumption of energy;
- the Minister of Economy - in the field of increasing energy efficiency in small and medium-sized enterprises, as well as in the energy consumption of industrial systems;
- the Minister of Regional Development and Public Works - in the field of development, harmonization and introduction of technical rules and norms in the field of energy characteristics of buildings, the implementation of projects and programs related to renovation of the housing stock and improvement of energy efficiency in residential buildings in the Republic of Bulgaria;
- the Minister of Transport, Information Technologies and Communications - in the field of energy efficiency in the transport sector.

The activities of implementing the state policy for increasing energy efficiency are carried out by the executive director of the Agency for Sustainable Energy Development (SEDA). SEDA performs activities and services related to the implementation of the state policy to increase energy efficiency, as well as to promote the production and consumption of electrical energy, thermal energy and energy for cooling from renewable sources, the production and consumption of biogas and green hydrogen, as well as the production and consumption of energy from renewable sources in transport, renewable liquid and gaseous transport fuels of non-biological origin and recycled fuels in transport.

The implementation of the envisaged building renovation roadmap requires the involvement of various bodies and authorities, which are illustrated in Figure 1. The mapping of the involved bodies and authorities pinpoints that the development of a governance mechanism, which will facilitate the communication and cooperation of the entities involved, is imperative.

The identified bodies and authorities represent different administrative and social levels with completely different priorities and aspirations. The cooperation of these stakeholders is crucial in identifying the energy poor households facilitating their participation in the planned policies and measures and collecting the necessary data to evaluate both the implemented policies and measures and the evolution of the energy poverty phenomenon at national, regional and local level.




Figure 1. Overview of the involved stakeholders in the preparation of the building renovation roadmap.

Different means will be utilized in order to conduct the foreseen consultation activities, such as indicatively:

- Organization of a workshop with the participation of the identified stakeholders to discuss the main provisions of the building renovation roadmap.
- Launch an open consultation procedure with the Regional Information Center
- Organization of a workshop with the participation of the identified stakeholders to discuss the received comments during the consultation procedure.

2 Analysis of the current levels of energy poverty in the pilot area

The analysis of the current situation of energy poverty and vulnerability of the population in the area of the Brezovo pilot was based on data from Eurostat's EU SILC and HBS surveys. More specifically, the National Statistical Institute of the Republic of Bulgaria provided EU SILC survey microdata (at the household level) for the years 2017-2021 and HBS data for the years 2017-2019 and 2021. Nevertheless, the HBS data didn't include derived variables at the household level referring to household size and type, equivalent size, number of persons per age class, number of persons who are working or are unemployed, etc. From the dataset, the observations selected were those that referred to region BG42 (variable DB040) and degree of urbanisation 3 (variable DB100 - rural area/thinly populated area). This subset of the data includes other areas than Brezovo, but with similar characteristics.

As shown in Figure 2, the share of the population living in a dwelling with leaks, damp or rot in the area of the Brezovo pilot is higher than the national share (almost by 1-2%). The same is true for the share of the population not able to keep their home adequately warm (Figure 3). However, the difference decreases over the years (i.e., from 8.9% in 2017 to 1.5% in 2021). In contrast, the share of the population having arrears on utility bills is lower in the pilot area compared to the national indicator (Figure 4). Again, the difference decreases over the years (i.e., from 10.3% in 2019 to 3.1% in 2021). In general, it appears that the consensual EP indicators in the pilot area are approaching the corresponding national indicators over time and, as is the case nationally, are improving.




Figure 2. Share of total population living in a dwelling with leaks.




Figure 3. Share of population not able to keep home adequately warm.




Figure 4. Share of the population having arrears on utility bills.

The rest of EP indicators (i.e., EP4 to EP12) were studied only at the pilot area level, as they are not official indicators. Looking at Figure 5 and Figure 6, it can be seen that the share of the population having arrears on utility bills only once is more or less stable (around 8%) but the corresponding share of those who have arrears on their bills twice or more has been significantly reduced (by more than 40% in the last five years).




Figure 5. Share of population having arrears on utility bills only once in the past 12 months.




Figure 6. Share of population having arrears on utility bills twice or more in the past 12 months.

The reduction in the intensity of the problem is also reflected in the results of the Weighted Composite Indices (WCI). As shown in Figure 7, the percentage of the population not experiencing EP issues increased from 43% in 2017 to 55.3% in 2020. More importantly, the percentage of those experiencing severe EP issues (i.e., the WCI1 is equal to 1) has been reduced by around 50%, from about 4% to 2%. Similar conclusions are drawn from Figure 8 (WCI2) and Figure 9 (WCI3).




Figure 7. Share of population at EP according to WCI1.




Figure 8. Share of population at EP according to WCI2.




Figure 9. Share of population at EP according to WCI3.

The Simple Composite Indices (SCI) reveal a similar pattern of EP evolution. In all SCIs (Figure 10, Figure 11 and Figure 12), the share of the population not experiencing EP issues is increasing and the proportion experiencing the most important EP problems (classes 2 and 3) is decreasing. For instance, according to SCI3 (Figure 12) the EP rate for class 2 has been reduced from 13.9% to 9.1% (a percentage reduction of 34.4%) and for class 3 from 2.9% to only 1% (a percentage reduction of 63.9%).




Figure 10. Share of population at EP according to SCI1.




Figure 11. Share of population at EP according to SCI2.




Figure 12. Share of population at EP according to SCI3.

Finally, the proportion of the population in the pilot area that experiences any type of EP, i.e., arrears on utility bills, leaks or inability to keep their house warm, presents also a decreasing trend (Figure 13). It may be redundant, but it should be noted that the percentage of EP households is significantly high based on this indicator, as practically all individual energy poverty indicators are added together.




Figure 13. Share of population at EP according to EP12.

As mentioned, the Bulgarian HBS dataset didn't include derived variables at the household level referring to household size and type, equivalent size, number of persons per age class, number of persons who are working or are unemployed, etc. Therefore, four EP expenditure indicators were formed and calculated, based on previously used (e.g., the "10% rule") or modified (e.g., variations of 2M and M2 indicators) and other indicators suggested by scholars (e.g., the "25% threshold", a variation of the "FixThreshold" indicator proposed by (Menyhert, 2023)).

Based on Figure 14 to Figure 17, the following remarks can be made:

- After an increase in 2018, all EP expenditure indicators decline steadily. The same pattern is observed in the consensual-based EU SILC indicators.
- According to the Low Expense, High Expense and “25% threshold” indicators, the share of the population facing EP problems is around 15%, on average. The “10% rule” seems to overestimate the EP problem (more than half of the population is characterised as EP).
- The EP levels in the area of interest, i.e., the Brezovo pilot, are higher than the national averages for all four indicators by around 11% (for the “10% rule” indicator) to more than 75% (for the Low Expense indicator).
- The gap between the pilot area and the national average is gradually narrowing for three indicators, i.e., “10% rule”, High Expense and “25% threshold”. Nevertheless, the gap increases for the Low Expense indicator, i.e., from 55.6% in 2019 to 76.2% in 2021.




Figure 14. Share of population whose absolute level of energy expenditures is less than half the national median.




Figure 15. Share of population whose energy expenditure-to-income ratio is more than twice the national median.




Figure 16. Share of population whose absolute level of energy expenditure is more than 10% of their income.




Figure 17. Share of population whose energy expenditure exceeds 25% of total expenditures.

To explore the role of income, ten different income classes were created using the median national income per year, as follows:

- Income class 1 - below 20% of the national median income
- Income class 2 - between 20% and 40% of the national median income
- Income class 3 - between 40% and 60% of the national median income
- Income class 4 - between 60% and 80% of the national median income
- Income class 5 - between 80% and 100% of the national median income
- Income class 6 - between 100% and 120% of the national median income
- Income class 7 - between 120% and 140% of the national median income
- Income class 8 - between 140% and 160% of the national median income
- Income class 9 - between 160% and 180% of the national median income
- Income class 10 - over 180% of the national median income

Moreover, as in some income classes the number of observations was relatively low, the ten income classes were grouped into three income categories, i.e., low-income households (Income classes 1 to 3, i.e., those who have income below 60% of the national median income); middle-income households (Income classes 4 to 7, i.e., those who have income between 60% and 140% of the national median income); and high-income households (i.e., those who have income over 140% of the national median income).

As shown in Figure 18 and, especially, in Figure 19, there is an unquestionable correlation between EP and income for all indicators. For example, the share of the population experiencing EP issues based on the Low Expense indicator is more than three times higher in the low-income class compared to the middle-income class, and 5.5 times higher compared to the high-income class.

Similar conclusions can be drawn from the other HBS EP indicators. Taking into account that, as a rule, low-income households live in low energy-efficient houses and, in addition, these households are unable to retrofit their houses for financial reasons, it exacerbates the problem and traps them in a vicious cycle.




Figure 18. HPS expenditure-based EP indicators in relation to the level of income.




Figure 19. HPS expenditure-based EP indicators per income group.

3 Analysis of the conditions in the pilot area

3.1 Geographical position

The Municipality of Brezovo is located in southern Bulgaria and is one of the constituent municipalities of the Plovdiv Region. It is located on an area of 465.41 km². The relief of the municipality is diverse - flat in the southern part, hilly in the central part and low mountainous in the northern part. The territory falls in the Upper Thracian lowland and parts of the Middle Deer Forest. The average altitude is 250 m. The lowest point is on the border with Rakovski Municipality - 171 m, and the highest is at Mount Bratan - 1235.8 m.

3.2 Climate data

The municipality of Brezovo is located in the transitional-continental climate zone - warm summers and mild winters are present. Average January temperatures are positive, while average July temperatures vary between 22-24 °C. Precipitation has a pronounced autumn-winter maximum. The annual amount is about 500 mm/m². The prevailing winds are westerly with an average annual speed of 1.1 m/s.

Characteristic for the western parts of the climatic region of Eastern Central Bulgaria, where Brezovo is located, are the mild winter with frequent warming under the influence of Mediterranean cyclones and the protective effect of Stara Planina in relation to the invasions of cold continental air, as well as hot summer with a small temperature amplitude and relatively low relative air humidity.

Seasonal precipitation amounts in the area almost equalize, with the maximum often occurring in spring and autumn, which indicates a transition to a Mediterranean-continental climate regime, more pronounced in the southern parts of the municipality. Under the influence of warm air masses the winter is warm and mild. As a result of the rapid rise in temperatures at the end of winter, spring starts early. The average temperature in October is 2-3 °C higher than in April. The average annual temperature is 12.5 °C, and the average January temperature is 0.2 °C. The average daily temperature at the beginning of March exceeds 5 °C, and at the beginning of April it is 10 °C.

- The average annual air temperature is 11.4 °C.
- The average annual maximum air temperature is 16.9 °C, and the minimum is 5.7 °C.
- The average monthly air temperature is 11.2 °C.
- The average monthly relative air humidity is 74%.

Precipitation depends on the characteristics of atmospheric circulation, altitude and landforms.

3.3 Demographic data

According to data from Census 2021, Brezovo Municipality has 16 settlements with a total population of 6170 inhabitants. Of these, 1,604 people live in the city of Brezovo, and the remaining 4,696 live in the surrounding villages. The predominant ethnic group is Bulgarians. There is a total of 3,241 people of working age, of which 1,839 are men and 1,402 are women. The reduction of the population in the last 10 years is clearly outlined. In numbers, it has decreased in 2021 from the previous national census in 2011 by 1128 people or 15.4%.

The conclusion of the analysis of the population census by age is that the population is ageing. As the figure below shows, the highest number of the population is occupied by people over 70 years.




Figure 20. Total population by age in Brezovo (source: NSI).

The trend in population dynamics is characterized by a decrease in the population and, respectively, the number of households.

Table 2. Population by gender.

Population by gender						
	2002		2011		2022	
	Men	Women	Men	Women	Men	Women
Brezovo	3873	4289	3513	3690	2959	3069




Figure 21. Population by gender.

According to the Municipal action plan for the period 2021-2023, the Municipality of Brezovo has an unfavorable socio-demographic structure. The plan states that unemployment among the able-bodied population in the municipality is 20%. This is an important economic and social problem, which probably affects many spheres of life of the people in the municipality. According to the plan, only three people found work through the Regional Employment Program. This fact may indicate limited opportunities for employment and economic development in the region, which may be a challenge to increase employment. Based on Eurostat indicators, about 30% of the population in the municipality are below the poverty line.

3.4 Energy supply and infrastructures

The municipality of Brezovo is securely powered by three electricity transmission lines. The first transmission line from the Chernozem substation supplies the villages of Varben, Borets, Zlatosel and Otets Kirilovo, while the settlements of Streltsi and Drangovo are supplied through the node station built in the village of Padarsko.

The backup power supply to the node station "Padarsko" is from the "Stryama" transmission line. Nodal stations "Babek" and "Brezovo" have backup power from the transmission line from the substation "Chernozem".

A total of 92 substations have been built in the territory of the Municipality. They are owned by "Elektrorazpradelenie - Plovdiv" EAD, which after privatization is owned by an Austrian company with 30% state participation. The built power transmission and distribution network ensures sufficient security and efficiency in the power supply of the municipality.

The territory of the municipality is not gasified. In 2012, an investment proposal was submitted for "Gas supply to the Municipality of Brezovo with the construction of a gas distribution network with

gas pipeline diameters from $\Phi 160$ to $\Phi 32$ and length 15,000 m within the regulatory limits of Brezovo town, Brezovo municipality. In 2012, the Municipal Council of the town of Brezovo approved the Plan-scheme for the gas supply of the town of Brezovo.

No permits have been issued for the construction of biodiesel plants.

The use of other RES, such as geothermal, and bio-energies (modern biomass technologies) is still insignificant and does not affect the energy balance of the municipality. On the territory of the Municipality of Brezovo, there are no hydro-electric, biogas plants, or those utilizing waste or other biomass.

4 Analysis of the building stock

4.1 Overview of the building stock

There are two social housing buildings in the territory of the Municipality of Brezovo. The first building - a family-type accommodation center - is a residential-type social service that provides a living environment for the full growth and development of children deprived of parental care, for whom, at the time of placement, the possibilities of returning to the biological family, placement with relatives have been exhausted and relatives or foster family.

The second building is a family-type accommodation center in Zelenikovo which offers also individual daily care, medical supervision and psychological support for children deprived of parental care.

The two buildings accommodate a total of about 25 residents. Detailed information for the buildings and systems are given below.

Name of the building

Boarding house

BUILDING LOCATION AND INFORMATION

<i>Municipality</i>	Brezovo	Location	Brezovo
<i>Type of property</i>	Public-municipal		
<i>Built-up area, m²</i>		Floors	3
<i>External wall insulation</i>	NO	<i>Availability of energy audit</i>	NO
<i>Roof insulation</i>	NO	<i>Compliance with Energy efficiency law</i>	NO
<i>Type of the windows</i>	Aluminium	<i>Additional EE measures</i>	Laying of internal thermal insulation on premises; Heatpumps DHW; A+++ air conditioners or heatpumps; Photovoltaic installation with an installed capacity of 20 kWp

BUILDING VIEW AND CONDITION OF THE HEATING INSTALLATION





<i>Heating method</i>	Individual electric heaters	Heat source status	good
<i>Time of operation,</i>	N/A	Dimensions of the existing boiler room, m	N/A
<i>Power, KW</i>	N/A		
<i>Burner type</i>	N/A	Replacement recommendation	Replacement of individual appliances with A++ air conditioners (heating mode)

Name of the building

Home for raising children - Zelenikovo village

BUILDING LOCATION AND INFORMATION

Municipality	Brezovo	Location	Zelenikovo
Built-up area, m²	406	Floors	1
			
External wall insulation	YES	Availability of energy audit	NO
Roof insulation	YES	Compliance with Energy efficiency law	YES
Type of the windows	Aluminium	Additional EE measures suggestion	1. Solar thermal system for DHW; 2. New automated chip/pellet boiler Photovoltaic installation with an installed capacity of 50 kWp and battery 20kWh

BUILDING VIEW AND CONDITION OF THE HEATING INSTALLATION

Heating method	Oil boiler	Heat source status	Excellent; remarks: the boiler is too powerful for the needs of the building
Time of operation, Power, KW	3 291	Dimensions of the existing boiler room, m	N/A
Replacement recommendation	New automated chip/pellet boiler		

ANNUAL ENERGY CONSUMPTION AND EMISSIONS

	2019
Energy source for heating	gas oil
Year fuel consumption, MWh	61,8 MWh
Year electricity consumption, MWh	28,1 MWh
Total energy consumption, MWh	89,9 MWh

4.2 Information about the energy demand and the utilized fuels per building type

4.2.1 Residential buildings

In the long-term national strategy to support the renewal of the national building stock of residential and non-residential buildings until 2050, a review was made of technical systems and energy carriers in residential buildings, which shows that the main energy consumption in residential buildings is the heating consumption - almost 80% of the energy determined according to the baseline and 64% of the actual energy consumption. The analysis shows that the value of the actual energy consumption for heating is approximately two times lower than that required to reach the normative parameters of the microclimate in the existing condition of the buildings (before renovation). The main reasons for this are the presence of unoccupied dwellings (more than 20% of dwellings in inhabited buildings), the unheated common parts of residential buildings and the maintained low average volume temperatures of conditioned spaces. **This is one of the specifics of the housing stock in Bulgaria, a result of the demographic situation in the country, the disproportions in the territorial distribution of the population and the depopulation of some areas, as Brezovo Municipality.**

The review of energy consumption by energy source shows that it is unbalanced, with a significant share of non-ecological/cheap energy sources.

According to the Municipal Energy Efficiency Program, the residential sector of the municipality of Brezovo occupies the largest percentage of the municipality's final energy consumption – 59.4%, consuming a total of 26.6 GWh of energy. Looking at the percentage of energy sources used, the dominant use is for raw wood for heating (47%), followed by the consumption of electricity (39%) and coal (12%). Heating is based mostly on the use of wood and coal and a minor share of electricity. The high levels of use of wood and coal are a prerequisite for influencing the air quality in Brezovo.

Table 3. Number of residential buildings.

Total number of residential buildings	Number of households using woods and coal for heating	Number of households using wooden pellets for heating	Number of households using electricity for heating
2710	2249	54	407

Table 4. Final energy consumption by energy source.

Energy Source	Final energy consumption MWh/y	Distribution of the energy sources in Residential buildings, %
Electricity	10466,3	39,3%
Woods	12594,4	47,3%
Coal	3148,6	11,8%
Pellets	432	1,6%
Total	26641,3	




Figure 22. Distribution of energy sources in residential buildings in Municipality of Brezovo (Source: Municipal Energy Efficiency Program).

According to the Institute for Energy Management in Bulgaria, traditionally, the final energy consumption of households is mainly covered by electricity (41%) and renewable sources and biofuels (36.1%). It has been repeatedly noted that behind this high share of RES in households, the main contribution is the use of wood for heating and hot water. Unlike the average values for the EU, the consumption of natural gas by Bulgarian households is extremely low (4%).




Figure 23. Final energy consumption types of energy source (Source:EMI).

The statistical data of Eurostat for Bulgaria regarding the distribution of energy by satisfied needs and by energy sources is presented in the figure below.




Figure 24. Distribution of energy by usage (Source: Center for Energy Efficiency EnEffect).

The distribution of electricity consumption in households by needs is presented in Figure 25.




Figure 25. Distribution of electricity consumption in households by needs (Source: Center for Energy Efficiency EnEffect).

According to the type of heating, the number of heated households is as follows:

- Wood/coal – 2249
- Pellets – 54
- Electricity – 407




Figure 26. Distribution of households according to the type of heating source.

Table 5. Final energy consumption for heating in households.

Final energy consumption for heating in households	
Energy source	MWh
Wood	12594,4
Coal	3148,6
Pellets	432
Electricity	1480
Total for the sector	17655




Figure 27. Final energy consumption for heating by energy source, %.

The following table provides a comprehensive overview of final energy consumption, primary energy consumption, and CO₂ emissions generated by different energy sources in the households.

Table 6. Calculation of final and primary energy consumption and CO2 emissions generated in residential buildings.

Energy source	Final energy consumption	Primary energy consumption		CO2 emissions generated	
	MWh	Factor	MWh	Factor, gCO2/kWh	tCO2/MWh
Woods	12594.4	1.2	15113.28	40	604.5
Coal	3148.6	1.1	3463.46	360	1246.8
Pellets	432	1.2	518.4	40	20.7
Electricity	10466.3	2.5	26165.75	486	12716.6
Total	26641.3		45260.89		14588.7

4.2.2 Public buildings

According to the Municipal program for energy efficiency in 2019, the final energy consumption in municipal buildings is 953.9 MWh, which constitutes 2,1% of the total energy consumption in the municipality of Brezovo.

Energy consumption by energy sources in municipal buildings is as follows:

- Electric energy – 280.1 MWh
- Biomass (wood) – 337 MWh
- Fuel oil/diesel – 277.3 MWh
- Coal – 59.5 MWh

From the figure below it is evident that the consumption of other biomass (wood) is dominant - 337 MWh (35,3%), followed by electricity (29.4%) and fuel oil/diesel – 277.3 (29,1%). The share of coal is relatively low – 6,2% in the total energy consumption of public buildings in 2019.




Figure 28. Energy sources in municipal buildings.

The energy demand of the two Social buildings, which are analysed in the present Roadmap, is presented in the table below.

Table 7. Calculation of final and primary energy consumption and CO2 emissions in Social buildings.

	Heating source	Heating energy	Electricity	Total final energy consumption	Primary energy consumption	Heated area	Specific consumption	CO2 emissions generated	Specific emissions
		MWh	MWh	MWh	MWh	m ²	kWh/m ²	t/y	kg/m ²
Orphanage for vulnerable people in Brezovo	Electricity	0,0	34,0	34,0	85	240	141,7	27,8	116,0
Social house for children in Zelenikovo	Gas oil	61,9	28,1	90,0	138,34	406	221,7	39,5	97,4
Total		61,9	62,1	124,0	223,34		181,7	67,4	

4.3 Analysis of the energy poverty levels per building type

In order to explore whether certain housing characteristics and households' living conditions are related to EP vulnerability, the difference in EP rates of the investigated indicators relative to their average rate in the pilot area was examined.

As illustrated in the figure below, households living in large buildings are less prone to arrears and more capable of keeping their apartments adequately warm compared to those living in small buildings, detached or semi-detached houses. Also, those living in small buildings face higher problems with leaks. These findings can be related to the fact that a large part of detached houses was built before the introduction of national energy efficiency legislation, while a large part of multi-family residential buildings was built after 1960, when the first norms and requirements for energy efficiency were introduced.




Figure 29. Leaks, inability to keep house warm and arrears on utility bills in relation to dwelling type.

The size of the house is also associated with the three basic EP indicators, according to Figure 30. Those living in one- or two-room houses have higher EP rates compared to the average, while those

living in houses with four or more rooms have lower EP rates. Again, the most likely explanation for this result is the difference in income. For example, the average income of the households that live in one- or two-room houses ranges between 3,200-4,200 EUR, while the average income of the households living in houses with more than four rooms is more than 9,500 EUR, on average.




Figure 30. Leaks, inability to keep house warm and arrears on utility bills in relation to dwelling size.

As far as tenure status is concerned, the most vulnerable groups to EP are tenants who pay rent (either at market or at reduced rate). These results should however be viewed with caution because the number of observations in these categories is very small (less than 15).




Figure 31. Leaks, inability to keep house warm and arrears on utility bills in relation to tenure status.

The role of income in energy poverty becomes evident in Figure 32. Households experiencing great difficulty in making ends meet have differences in EP rates of up to 30% compared to the average rates. On the contrary, those who can pay easily for their usual necessary expenses have quite lower

EP rates (e.g., differences from the average of more than 30% in the ability to keep their houses warm).




Figure 32. Leaks, inability to keep house warm and arrears on utility bills in relation to the level of difficulty in making ends meet.

The above-mentioned patterns are observed, and are even more pronounced, in the complementary EP indicators. For instance, in Figure 33, households living in small buildings are more energy vulnerable, while the opposite is true for those living in large buildings. Tenants (Figure 35) and those living in one- or two-room homes (Figure 34) are also more energy vulnerable. Finally, those who find it difficult to make ends meet present scores, in all EP indicators, higher than the average, while those who live comfortably score lower than the average (Figure 36).




Figure 33. Complementary EP indicators in relation to dwelling type.




Figure 34. Complementary EP indicators in relation to dwelling size.




Figure 35. Complementary EP indicators in relation to tenure status.




Figure 36. Complementary EP indicators in relation to the level of difficulty in making ends meet.

4.4 Identification and analysis of existing policies, strategies or investments planned for the pilot area so as to renovate the building stock

Currently, there exists only one national programme, namely the **“Support for Sustainable Energy Renovation of the Residential Building Fund”** (total investment: BGN 1,176,960,000.00), aiming at providing financial, organisational and technical assistance to improve the energy performance of the housing stock in the Republic of Bulgaria. The programme will run between 2023 and 2027 and has introduced a financial scheme in support of sustainable energy renovation of residential buildings. According to the previous procedure, which represented the first stage of the implementation of the sub-measure "Support for sustainable energy renovation of the housing stock", for proposals implemented under the conditions of the "non-aid" regime, co-financing is not required from the final recipient of the funds - aid intensity was 100%. In the second stage of the implementation of the sub-measure "Support for sustainable energy renovation of the residential building stock", which is a subject of a separate procedure, the final recipients will be required to co-finance 20% of the amount of eligible costs under the project. The criteria for the proposals to be approved require that the buildings reach energy consumption class minimum B after applying energy-saving measures; that the measures stimulate a minimum of 30% primary energy savings, implement resource efficiency, economic expediency, decarbonisation through RES, sustainable construction process, reduce energy poverty by reducing energy costs, and ultimately, improve the conditions and quality of life of the population in the country through technological renewal and modernization of the building stock.

For more information: <https://eumis2020.government.bg/bg/s/Procedure/Info/fbf34c6a-8f67-4d16-9019-3bd43c71b70f>

As far as the support of RES installation is concerned, the Republic of Bulgaria has established the **“National scheme to support households in the field of energy from renewable sources”**, under the **“National plan for recovery and sustainability of the Republic of Bulgaria”**. This scheme aims to

support households in the field of energy production from RES, to promote the decentralised production of energy from RES, stimulate the consumption of ecologically clean energy, and reduce the consumption of solid fuels in the household sector. It provides financing for the purchase of solar installations for domestic hot water supply (DHW) and the purchase of photovoltaic systems up to 10 kWp, including electrical energy storage systems. The total amount of the financial scheme is BGN 80 million, where each proposal can receive up to 100% of the value of the installation, but no more than BGN 1,960 for the purchase of solar installations for DHW, and up to 70% of the value of photovoltaic systems up to 10 kWp including the electrical energy storage systems, but not more than BGN 15,000.

For more information: <https://www.me.government.bg/themes/startira-kandidatstvaneto-na-domakinstvata-za-finansirane-na-fotovoltaichni-sistemi-2454-1639.html>

The **Energy Efficiency and Renewable Sources Fund** finances investment projects for energy efficiency, aims to reduce greenhouse gas emissions in the atmosphere, and supports the development of the market for energy efficiency projects in Bulgaria. The fund was initially capitalized entirely with grant funds. The main donors are the UN Global Environmental Fund, through the International Bank for Reconstruction and Development (World Bank) - with 10 million US dollars, the Government of Austria - with 1.5 million euros, the Government of Bulgaria - with 3 million BGN and private Bulgarian sponsors. The Energy Efficiency and Renewable Sources Fund encourages applications from individuals. A necessary condition for a successful application to the "Energy Efficiency and Renewable Sources" fund is the availability of a detailed energy survey, enabling energy analysis and selection of energy-saving measures. All energy efficiency projects approved and supported by the "Energy Efficiency and Renewable Sources" Fund (FEEVI) must meet the following requirements:

- The project must implement established technology;
- The value of the project must be between BGN 30,000 and BGN 3,000,000;
- The equity participation of the borrower must be no less than 10%; Loan repayment term is up to 10 years.

For more information: <https://www.bgeef.com/bg/>

Projects for the implementation of energy efficiency measures in residential buildings will be able to be financed under the **Regional Development Program 2021-2027** (RDP) through the European Regional Development Fund (ERDF).

An obligatory condition for the implementation of the measures for the renovation of residential buildings will be the presence of a study for energy efficiency and a technical survey of the building, and in relation to the set national goals, measures with which the building achieves a high energy class will be supported. Under the new PRR, it is planned to finance energy efficiency measures for both single-family and multi-family residential buildings, but it is not planned to finance independent measures and partial renovation measures, but activities for the complete energy renovation of the building. Measures in the area will be implemented within the framework of the two main priorities: Priority 1 "Integrated urban development" and Priority 2 "Integrated territorial development of the regions", and the eligible activities include a wide range of interventions, among which: all types of energy efficiency measures, structural strengthening, heating and air conditioning systems, integrated on-site renewable energy installations, energy storage equipment, electric vehicle charging equipment, digitalization of buildings, etc.

More information: <https://www.eufunds.bg/bg/oprd/node/12208>

5 PESTEL analysis

A PESTEL analysis was conducted so as to identify the most important parameters and the main market barriers and market failures (administrative, financial, technical, awareness and others) in the pilot area.

The PESTEL analysis consisted of the following steps:

- Step 1: Speculate the PESTEL factors
- Step 2: Identify and map all the relevant PESTEL factors
- Step 3: Assess the level of impact of PESTEL factors
- Step 4: Identify opportunities and threats
- Step 5: Select the most effective policies and measures

The PESTEL analysis concluded that the current policy developments at the national and European level constitute a meaningful driver so as to foster the energy renovation of the residential buildings. More specifically, the ambitious building renovation target within the NECP at the national level for 2030 and the adopted long-term strategy for the renovation of the building stock will enable the implementation of targeted policy measures in the residential sector. Moreover, the current deviations in 2021 and 2022 from achieving the building renovation target will lead to the initiation of additional policy measures. The current programme for the renovation of the residential buildings should be considered as the fundamental basis for the implementation of energy efficiency interventions, while the centrally designed and implemented building renovation policies and measures will facilitate the coordinated and more effective implementation of the foreseen policy measures. Moreover, the promotion of PV systems in buildings for auto consumption through the conduction of targeted policies and measures will mobilise the further penetration of RES along with energy efficiency measures. Finally, the improvement and simplification of the existing renovation programmes are imperative to become more effective.

The sufficient availability of lending funds from the banking sector and the imposition of more realistic requirements in order to provide the necessary lending funds to households are considered the main economic factors for the energy renovation of residential buildings. The high interest rates, the limited access to loans and the difficulty for households to provide their own funds for implementing the required renovation interventions constitute the main barriers hampering the further renovation of the residential buildings. The notable increase in the cost of living and energy expenses due to the energy crisis and the increased levels of energy taxation hinder the implementation of energy efficiency interventions. Nevertheless, the interest to renovate their buildings has increased considerably to address the triggered impacts by the energy crisis creating a high demand for energy efficiency interventions. The uncertainty about the economic development in the future and the lack of stability due to various economic factors pose additional concerns leading to the postponement of the investment decisions. Finally, the materialization of energy efficiency interventions will trigger positive impacts on the economy (e.g., increased GVA, reduced unemployment) due to the considerable growth of the construction sector.

The deterioration of the energy poverty due to the high energy prices and the increased inflation has created significant social problems highlighting the urgent need to address them. Moreover, the low level of awareness and knowledge about energy efficiency issues has been identified as a main obstacle. Nevertheless, the continuously increased understanding and acceptance of prosumerism

and community-based energy are considered as additional enabling factors fostering the renovation of residential buildings.

The further promotion of technological solutions in buildings is essential due to the limited digitalization of the energy sector and the low penetration of smart meters. Nevertheless, the high penetration of RES technologies can boost the technological improvement of the energy sector.

The building sector is characterized by a considerably high RES and energy efficiency potential contributing to the achievement of environmental targets. The limited environmental restrictions during the renovation and the lack of knowledge for adapting buildings to climate change have been identified as barriers to minimising the environmental performance of the building sector. Finally, the low resistance and preparedness towards future pandemics and energy crises should be addressed appropriately ensuring the continuous renovation of the residential buildings.

The adoption of the required legislative and regulatory framework for all energy-related issues will facilitate the achievement of the imposed renovation targets along with the implementation of the policy measures as foreseen within the framework of the National Energy and Climate Plan and the long-term strategy for the renovation of the building stock.

Finally, the renovation of the buildings should be reinforced with the update, simplification and optimization of the related to the building sector legislative and regulatory framework.

Table 7 presents the factors that affect the preparation of the building renovation roadmap.

Table 8. Identification and assessment of the factors, which affect the building renovation roadmap.

	External factors to consider	Negative or Positive aspect	Factors affect building renovation roadmaps	Importance to the renovation roadmap
				(High-medium-low)
Political		(+)	The strategic goals are synchronized with the EU's energy efficiency goals and are based on European strategic documents, European and national legislation on energy efficiency	Medium
		(+)	Exemplary cost-effective packages of measures are proposed for different levels (light, medium)/stages of energy renovation for each of the categories of residential buildings	Medium
	<i>Governance structures (e.g., formal or non-formal structures that support governance)</i>	(+)	Good organisation structure of the municipality The management structure in the municipality is structured in general and specialized departments and units carry out management, organization and coordination and control in the respective areas of work.	High
		(-)	Limited access to finance: insufficient market mechanisms to finance major renovation measures at local level	
	<i>Political stability and remuneration framework</i>	(-)	Lack of political stability - The political crisis in recent years and the non-formation of a constructive government have influenced all structures and industries, and especially all citizens of Bulgaria. There are no conditions for making decisions at the national and local level	High
		(-)	Lack of predictability and long-term planning of renewal programs, which makes it difficult for stakeholders - business, owners - to plan.	Medium
Economic	<i>Competitiveness</i>	(+)	The development of technologies related to energy efficiency will have a positive effect on the local economy and its competitiveness. At the moment it is at low level.	Low
		(-)	High inflation increasing the cost of living	High
	<i>Energy prices</i>	(-)	High energy prices	High
		(-)	There is a lack of professionals related to EE and RES in the region	Medium

	<i>Skilled energy efficiency professionals</i>	(+)	New jobs - investments in energy efficiency can create jobs in the industry that produces the relevant products and services, and the energy savings achieved to reduce the consumption of energy products in the long term	Medium
	<i>Financing renovation interventions</i>	(-)	There is a lack of EE schemes in the local level and measures to promote heating from economically efficient and environmentally friendly sources	High
		(-)	There is a lack of incentives to meet the nZEB requirements	Medium
	<i>Energy expenses</i>	(-)	Relatively high price of the EE services and high cost of innovative technologies	High
	<i>Benefits</i>	(+)	Increasing the value of buildings - Major renovation of buildings increases the value of the properties in them, as it makes them more sustainable, with a better appearance and increases their life quality	Medium
		(+)	Impact on public budgets - Energy efficiency in public buildings leads to a reduction in public expenditure on energy bills, incl. to reducing public costs to overcome energy poverty.	Low
		(+)	Energy renovation leads to a reduction in energy costs, which could be redirected to social or other activities	High
Social	<i>Social and Institutional capacity</i>	(+)	There is a social policy of the municipality, aimed at developing regional strategies, municipal programs, plans and projects related to social benefits and social services, assists in coordinating the activity of providing social services	Medium
		(-)	Lack of socio-economic studies of the effects of building renovation, incl. the wider benefits	Medium
		(+)	Support is provided for building the administrative and professional capacity of the state administration and local authorities, and of the participants in the investment process	Medium
Technology	<i>Renovation potential</i>	(+)	There is great potential for implementing measures on building installations and the utilization of renewable energy	High
		(+)	Better thermal conditions in the buildings will be reached with the implementation of EE measures	High
		(-)	Lack of technical capacity of local authorities to manage building renovation programs and implement investor supervision	Medium
		(-)	Low-skilled staff, short deadlines and low procurement prices lead to poor performance in the implementation EE measures	Medium

	<i>Monitoring and smart city platforms</i>	(-)	Lack of regulatory penalties and fines for poor quality of the renovation processes, before and after their implementation	High
		(-)	Inefficient spending of the targeted social aid for heating – there is no control and monitoring of how it is spent.	Medium
		(-)	Smart metering is still not well recognised	Medium
		(-)	Lack of a unified database of public buildings: creates difficulties for planning a major renovation and for grouping projects for the purposes of larger investments.	Medium
		(-)	Lack of energy monitoring at local level	Medium
	<i>Technical requirements</i>	(+)	Unsaved design and executive documentation of public buildings, which make difficult the observation of the buildings	Medium
	<i>New energy-saving technologies</i>	(-)	still high prices of energy storage technologies	Medium
(-)		Insufficient support for research and development and implementation of demonstration projects for the application of new or advanced technologies and renewal techniques	Medium	
Environment	<i>Environmental objectives</i>	(+)	Brezovo Municipality has established Municipal programmes for Energy Efficiency and RES with defined action plans and specific targets for public buildings	High
	<i>Adaptation policies</i>	(-)	Limited knowledge of adapting buildings to climate change	High
	<i>Sustainable energy resources/potential</i>	(+)	High energy saving and RES potential	Medium
Legal	<i>Laws & regulations on permissions and licenses (e.g., for renewables installations, buildings, production sites etc.)</i>	(+)	Changes have been made in the Law on Territorial Development, where the government finally accepted the abolition of the building permit and other procedures for the installation of photovoltaics on houses. This is a hugely important change for people, which would save a huge amount of administrative hassle, and that was the main barrier.	High
		(-)	The excess energy is still not purchased (the procedure is too complicated), which requires the installation of a battery	High
	<i>Legislative and regulatory framework (e.g., for energy, spatial planning, environment, regional development)</i>	(+)	Adoption and implementation of the National Energy and Climate Plan and the Long-term Strategy for the Renovation of the Building Stock as the roadmap for 2030	High

6 Roadmap

6.1 Methodological approach

The building renovation roadmap resulted from the implementation of a methodological approach, which consisted of four different steps (Figure 37).




Figure 37. Applied methodological approach.

Firstly, the assessment and selection of the available energy-efficient and RES interventions occurred in Step I. Three different combinations of energy efficient and RES interventions were modelled to evaluate their performance and to select the most cost-effective one taking into consideration the cost-effectiveness ratio based on the delivered energy savings and CO₂ emission reduction. The main pathway for combating energy poverty through the renovation of the building stock was identified in Step II taking into account the selected energy efficient and RES interventions within the framework of Step I. Moreover, the number of renovated buildings was calculated for the formulated pathway in Step III, while the utilization of unitary metrics for the most effective energy-efficient and RES interventions led to the quantification of the triggered impacts in Step IV.

6.2 Step I: Assessment and selection of the most effective energy-efficient and RES interventions

The vision of the Brezovo building renovation roadmap is based on renewed and decarbonized building stock by 2050, which provides a high quality of life in a healthy, safe, energy-efficient, modernized and high-tech living environment, based on a complex of linked factors, such as active participation of users for the efficient use of energy, management of energy production and consumption in the building and professional management of the building stock. The roadmaps should ensure a modern, up-to-date and cost-effective regulatory framework by introducing the "Energy Efficiency First" principle.

In order to achieve a high degree of energy efficiency and decarbonization of the existing housing stock, it is necessary: (1) to limit energy needs, by improving the energy characteristics of the external building elements and the systems for ensuring the microclimate; (2) more of the required energy to be produced from sources with low CO₂ emissions (renewable energy).

Three different combinations of energy-efficiency and RES interventions were examined for the three types of buildings. More specifically, the following renovation options were modelled and analysed (Table 8).

Table 9. Examined combinations of energy efficient and RES interventions for Social building.

	O1	O2	O3
Walls	Walls are insulated with a 50mm thick layer of mineral wool insulation with a heat conductivity rating of $\lambda \leq 0.039$ W/mK.	Walls are insulated with a 120mm thick layer of mineral wool insulation with a heat conductivity rating of $\lambda \leq 0.039$ W/mK.	Walls are insulated with a 150mm thick layer of mineral wool insulation with a heat conductivity rating of $\lambda \leq 0.039$ W/mK.
Roof	Roof is insulated with a 100mm thick layer of rigid mineral wool insulation boards with a heat conductivity rating of $\lambda \leq 0.039$ W/mK.	Roof is insulated with a 150mm thick layer of rigid mineral wool insulation boards with a heat conductivity rating of $\lambda \leq 0.039$ W/mK.	Roof is insulated with a 200mm thick layer of rigid mineral wool insulation boards with a heat conductivity rating of $\lambda \leq 0.039$ W/mK.
Basement	The building plinth is additionally insulated with a 50mm thick layer of XPS with a heat conductivity rating of $\lambda \leq 0.036$ W/mK, at least 500mm below grade level to ensure insulation layer extension below ground freezing layer.	The building plinth is additionally insulated with a 100mm thick layer of XPS with a heat conductivity rating of $\lambda \leq 0.036$ W/mK, at least 100mm below grade level to ensure insulation layer extension below ground freezing layer.	Unheated basement ceiling is insulated with a 100mm thick layer of mineral wool insulation with a heat conductivity rating of $\lambda \leq 0.046$ W/mK. The building plinth is additionally insulated with a 100mm thick layer of XPS with a heat conductivity rating of $\lambda \leq 0.039$ W/mK, at least 100mm below grade level to ensure insulation layer extension below ground freezing layer.
Doors	All old wooden staircase entrance doors are changed with insulated metal doors with a U value of 1.40 W/m ² K	All old wooden staircase entrance doors are changed with insulated metal doors with a U value of 1.40 W/m ² K	All old wooden staircase entrance doors are changed with insulated metal doors with a U value of 1.40 W/m ² K
Windows	All old wooden windows are changed with triple glazing windows in PVC frame with a combined U value of 1.1 W/m ² K	All old wooden windows are changed with triple glazing windows in PVC frame with a combined U value of 1.1 W/m ² K	All old wooden windows are changed with triple glazing windows in PVC frame with a combined U value of 1.1 W/m ² K
Technical systems	-	-	New A2A heatpump is installed; SCOP > 3.35 W/W

The analysis led to the following results as presented in Table 9 in regards the calculation of two different indicators for their comparative analysis.

Table 10. Results of the examined energy efficiency and RES interventions.

Cost effectiveness based on the final energy savings (€/kWh)	Social buildings
O1	1.10
O2	1.13
O3	1.81
Cost effectiveness based on the CO ₂ emission reduction (€/kg CO ₂)	Social buildings
O1	4.34
O2	4.47
O3	6.18

Assessment of additional measures for social buildings

On-site visit and expert assessment of the two social housing buildings in Municipality of Brezovo, established the need and possibility for deep renovation of the buildings. An analysis was made of the enclosing structures and the available joinery, the condition of the heating installation and the existing heat source.

Based on the inspections, an analysis was made of the possibilities for:

- energy saving by building envelope renovation
- transition from liquid or solid fuel (raw biomass) to modern and effective heat pump heating;
- introduction of RES source – roof PV installation and solar collectors for DHW.

The assessment of the impact of the measures is presented in the following table.

Table 11. Assessment of measures for Social buildings.

Measure	Final energy savings (MWh)	CO ₂ emission savings tCO ₂ /MWh	Total investment per building (€)
Energy saved from heating optimization - from deep renovation (60% savings)	74.4	20.69	412867.1
Energy saved from the introduction of RES in buildings - photovoltaics and solar-thermal installations - 70% of the annual consumption is from PV	43.47	21.13	
Total	117.87	41.81	
Final energy savings per building	58.94		
Primary energy savings per building	155.74		

6.3 Step II: Identification of the main pathway for the developed scenario

The determination of the goals for the renovation of the residential and social building stock is in accordance with the scenario with additional policies and measures used in the National Long Term

Strategy for Building Renovation Towards 2050 and the Integrated Energy and Climate Plan of the Republic of Bulgaria 2021 - 2030 which sets the goals of 27.89% savings in primary energy and 31.69% in final energy.

The main aim of the building renovation roadmap is to achieve the requirements of near-zero energy buildings for the two social buildings in Brezovo and Zelenikovo. The combination of energy efficiency and RES interventions as outlined in the third option is an essential approach to facilitate the deep renovation of the buildings that are dwelled by energy-poor households.

Therefore there is a national requirement, that all the buildings that have been constructed before 2005, should be renovated starting from the worst performing buildings (i.e. the oldest ones) and continuing with the remaining.

The unitary results of the selected combination of energy-efficient and RES interventions are presented in Table 11.

Table 12. Estimated unitary results for the selected energy efficiency and RES interventions per building.

Selected energy efficiency and RES interventions	Social-family buildings
Final energy savings (MWh/year)	58.94
Primary energy savings (MWh/year)	155.74
CO ₂ emission reduction (tCO ₂ /year)	20.91
Investment cost (€)	412867
Cost savings (€/year)	7072

In order to achieve significant results in the renovation of the social buildings, the municipality should implement the following roadmap for implementing policies and introducing incentives for citizen participation, capacity buildings and social engagement in the process of renovation of the social buildings. The following table outlines the key initiatives planned from 2024 to 2050 to enhance energy efficiency in multi-family residential buildings.

2024	2025	2026	2027	2028	2029	2030	2040	2050
One stop shop development	Continue operation and function of One stop shop for renovation							
RA visits	Continue engaging, training and organisation of RA visits							
Verification and implementation of energy audits of social buildings	Organisation of information campaigns, training and workshops for occupants and building managers, inviting experts and companies							
Implementation of energy renovation of social buildings, including external insulation, windows, heating source renovation, energy management system, RES integration								
				Monitoring and continuous improvement of the energy performance of the buildings				
				Energy communities establishment				
Communication campaign at the local level	Involving owners and building managers as active participants in decision-making regarding energy matters							

6.4 Step III: Determination of the renovated buildings totally

Under Directive (EU) 2018/844 of the European Parliament and of the Council, amending Directive 2010/31/EU, a Long-term national strategy has been developed to support the renewal of the national building stock of residential and non-residential buildings until 2050 (Adopted by the Council of Ministers with Protocol No. 8 of 27.01.2021), in which the following are defined:

- indicative intermediate goals for 2030, 2040 and 2050;
- financial means to support the implementation of the strategy;
- effective mechanisms to promote investment in building renovation.

The national objectives for renovation of the residential and non-residential building stock, according to the Long-term national strategy, are given in Table 12.

Table 13. National objectives for renovation of the residential and non-residential building stock.

Indicator		2021-2030	2031-2040	2041-2050
Total energy savings	GWh/y	2 917	6 502	7 329
Residential buildings	GWh/y	2 477	5 694	6 294
Non-residential buildings	GWh/y	440	808	1 035
Renovated area	m2	22 203 509	49 570 668	55 823 015
Residential buildings	m2	19 026 656	43 735 175	48 343 297
Non-residential buildings	m2	3 176 852	5 835 493	7 479 718
Renovated area from the existing building stock for renovation at the moment	%	8%	18%	20%
Saving CO ₂ emissions	tonne	1 306 435	2 891 610	3 274 453
Residential buildings	tonne	1 065 184	2 448 461	2 706 441
Non-residential buildings	tonne	241 251	443 149	568 012

The Brezovo roadmap aims to achieve the renovation of 100% of the occupied social buildings by 2030. Information about the number of the newly and cumulative buildings is provided in Tables 13 (for the different examined periods) and 14 (cumulatively) correspondingly, including the respective trajectory and timeline.

The simultaneous implementation of the foreseen energy efficiency and RES interventions is recommended. In contrast, the insulation of the building envelope should be prioritised and the sizing of the heat pump should be performed taking into account the reduced heating and cooling demand. Finally, the installation of the solar thermal system and roof PV installations are foreseen interventions for the coverage of the heating and cooling needs.

Table 14. Number of newly renovated buildings for the examined periods.

Roadmap III	2025-2030	2031-2035	2036-2040	2041-2045	2046-2050
Social buildings	2	0	0	0	0

Table 15. Number of cumulatively renovated buildings for the examined periods.

Roadmap III	2025-2030	2031-2035	2036-2040	2041-2045	2046-2050
Social buildings	2	2	2	2	2

The estimation of the triggered impacts by the energy efficiency and RES interventions was implemented with the utilization of unitary metrics as resulted from the modelling activity, which was carried out for each examined measure within the framework of Step I.

6.5 Step V: Calculation of the triggered impacts for all renovated buildings

The expected cumulative final energy savings, primary energy savings and CO₂ emission reduction are presented in Tables 15-17 respectively (calculated over the examined periods). The calculation of the delivered impacts was performed using the unitary metrics in Table 18 and the cumulative number of renovated buildings.

Table 16. Resulted cumulative final energy savings (GWh) for the examined periods.

Roadmap III	2025-2030	2031-2035	2036-2040	2041-2045	2046-2050
Social buildings	0.118	0.236	0.354	0.472	0.590

Table 17. Resulted cumulative primary energy savings (GWh) for the examined periods.

Roadmap III	2025-2030	2031-2035	2036-2040	2041-2045	2046-2050
Social buildings	0.311	0.622	0.933	1.244	1.555

Table 18. Resulted cumulative CO₂ reduction (ktn CO₂) for the examined periods.

Roadmap III	2025-2030	2031-2035	2036-2040	2041-2045	2046-2050
Social buildings	0.042	0.084	0.126	0.168	0.21

Two main factors determine the effect on employment: investments in energy efficiency create jobs in the industry that produces the relevant products and services, and the energy savings achieved reduce in the long term the consumption of energy products. In turn, the reduction in consumption affects the added value produced, and the change in added value leads to an effect on employment in the respective sector.

The expected employment impacts were calculated (Table 18) using the respective results of the COMBI project, i.e. about 15.5 person-years/million EUR invested in building renovations. It should be noted that the calculation was performed based on the number of newly renovated buildings.

Table 19. Resulted employment impacts (person-years) for the examined periods.

Roadmap III	2025-2030	2031-2035	2036-2040	2041-2045	2046-2050
Social buildings	12.8	0.0	0.0	0.0	0.0

Finally, the expected cumulative multiple benefits were calculated (Table 19) assuming that they are equal to 0.0212 €/kWh (calculated on first-year savings) for the cumulative number of renovated buildings in each examined period. The multiple benefits were estimated by making use of the monetisation results of COMBI online tool (COMBI project, 2018). More specifically, the following benefits have been considered: Avoided asthma morbidity due to indoor dampness; Avoided electricity generation from combustibles-based power plants; Avoided direct GHG emissions; Avoided premature mortality due to inadequate heating and cooling; Avoided Morbidity due to indoor air pollution; Avoided yearly deaths due to reduced ozone exposure; Avoided yearly deaths due to PM_{2.5} exposure; Avoided life expectancy loss due to PM_{2.5}. For more details refer to Section 6.2.4 of D2.1 “State-of-the-art review and assessment report”.

Table 20. Resulted cumulative multiple benefits (million €) for the examined periods.

Roadmap III	2025-2030	2031-2035	2036-2040	2041-2045	2046-2050
Social buildings	0.0025	0.0050	0.0075	0.0100	0.0125

7 Policies and measures

The specified renovation targets will be achieved with the design and implementation of 4 policies and measures. It should be mentioned that the described policies and measures are in full alignment with the provisions of the NECP.

The main measures for lowering the final energy consumption in residential buildings are related to:

- Energy renovation of buildings - external construction measures, incl. replacement of window frames and installation of insulation on external walls, roofs, and floor structures;
- Replacement of the heating method – switching to a highly efficient form of heating through the use of an alternative source;
- Encouraging the implementation of individual RES installations - photovoltaic installations for own consumption; solar thermal installations for heating DHW; air-water heat pumps for heating water for DHW;
- Conducting campaigns to increase the population's knowledge of energy-efficient measures and smart energy consumption;
- Encouraging behaviour change;
- Replacement of old household electrical appliances with new ones with energy class C and better.

Information about the existing (or expected) policies and measures is provided in the following tables.

Name of policy or measure	M1: Program "Regions Development" URBAN DEVELOPMENT"
Short description	Measures for energy efficiency and sustainable renovation of multi-family and single-family residential and public buildings, incl. student and student dormitories <ul style="list-style-type: none"> • Awareness raising campaigns and all types of EE measures in buildings, incl. structural (and seismic) strengthening; • Heating and air conditioning systems; • Integrated on-site renewable energy installations; • Equipment for charging electric cars; • Digitization of buildings; • Green infrastructure, etc. The activities will be carried out following the long-term strategy for the rehabilitation of the building stock in the Republic of Bulgaria with a horizon until 2050. The activities must lead to the achievement of at least class "B" energy consumption of the building and at least a 30% reduction of direct and indirect greenhouse gas emissions compared to prior emissions
Quantified objective	Renovation of the residential buildings
Type of policy or measure	Economic measure

Name of policy or measure	M1: Program "Regions Development" URBAN DEVELOPMENT"
Planned budget and funding sources	These measures will only be financed through a combination of an own contribution or a financial instrument within a single operation. In the case of financing with a combination of BPF and financial instruments, the permissible amount of BPF will be determined by the entity implementing the financial instrument. For energy-poor households and student dormitories, 100% BFP will be allowed. For all others, the minimum required own contribution is 5% of eligible costs.
Entities responsible for implementing the policy	Ministry of Regional Development and Public Works
Number of affected households	Residents dwelling in 2 social building houses (25)
Expected impact in relation to the specified targets	Final energy savings: 0,118 GWh Primary energy savings: 0,311 GWh GHG emissions savings: 0,042 ktn CO ₂
Status of implementation	Expecting
Date of entry into force	2024
Implementation period	2024-2027

Name of policy or measure	M2: Information and awareness-raising programs
Short description	Conducting local information campaigns to raise public awareness of the potential financial, health, economic, social and environmental benefits, to promote and attract interest in deep renovation and RES implementation and to support application to the financial schemes.
Quantified objective	Renovation of the residential buildings
Type of policy or measure	Capacity building measure
Planned budget and funding sources	Public and private funds
Entities responsible for implementing the policy	Municipality of Brezovo
Number of affected households	Residents dwelling in 2 social building houses (25)
Expected impact in relation to the specified targets	Contribution to the expected impacts triggered by M1
Status of implementation	Existing
Date of entry into force	2025
Implementation period	2025-2050

Name of policy or measure	M3: Establishing OSS
Short description	A one-stop service model (including providing personalized advice to building owners and investors) for advice on the whole renovation process
Quantified objective	Renovation of the residential buildings

Name of policy or measure	M3: Establishing OSS
Type of policy or measure	Supportive measure
Planned budget and funding sources	Public and private funds
Entities responsible for implementing the policy	Municipality of Brezovo
Number of affected households	Residents dwelling in 2 social building houses (25)
Expected impact in relation to the specified targets	Contribution to the expected impacts triggered by M1
Status of implementation	Initiated
Date of entry into force	2025
Implementation period	2025-2050

Name of policy or measure	M4: Promoting energy audits in households
Short description	M4 will support financially the conduction of energy audits. More specifically, a pilot program will be launched for the residential buildings covering the implementation cost in order to increase their awareness and to promote their further conduction according to the provisions of the EED. Furthermore, the derived recommendations can be supported through the provision of financial aid.
Quantified objective	Awareness-raising for issues related to the building renovation. Carrying out surveys and implementation of measures for energy efficiency of single-family and multi-family residential buildings on the territory of the Municipality of Brezovo.
Type of policy or measure	Awareness-raising measure
Planned budget and funding sources	Grant funding - National program for energy efficiency in multi-family residential buildings
Entities responsible for implementing the policy	Ministry of Environment and Energy
Number of affected households	Residents dwelling in 2 social building houses (25)
Expected impact in relation to the specified targets	Contribution to the expected impacts triggered by M1
Status of implementation	Planned
Date of entry into force	2025
Implementation period	2025-2027

8 Investment needs

The investment needs that are required for the implementation of the building renovation roadmap, are presented in Tables 20 (for the different examined periods) and 21 (cumulatively) both for the case of the new and cumulative ones.

Table 21. Required new investments (million €) for the examined periods.

Roadmap III	2025-2030	2031-2035	2036-2040	2041-2045	2046-2050
Social buildings	0.826	0	0	0	0

Table 22. Required cumulative investments (million €) for the examined periods.

Roadmap III	2025-2030	2031-2035	2036-2040	2041-2045	2046-2050
Social buildings	0.826	0.826	0.826	0.826	0.826

It should be noted that the analysis of the different types of financing instruments has been indicated within the previous chapter for each policy and measure separately.

The planned investments will be carried out with 100% public funding.

9 Renovations triggered by REVERTER project

REVERTER is expected to contribute to the renovation of the two social buildings in the Municipality of Brezovo in the period of five years after the completion of the project (2025-2030) through the establishment and operation of the physical and digital one-stop shops, visits to homes of energy-poor households by REVERTER Ambassadors who will inform them about energy renovation issues and the awareness-raising and training activities to reinforce the existing level of knowledge of the energy poor households. The social events, organised by the project, are attended not only by citizens and residents of the buildings but also by representatives of the local government, who receive new knowledge related to energy efficiency, RES and energy management. Also, useful information for decision-makers is regularly updated on the digital One Stop Shop.

The contribution of REVERTER project, including post-project period, is summarised in Table 22.

Table 23. Contribution of REVERTER project to the implementation of the specific roadmap for the renovation of the two social buildings in the period 2025-2030.

Impacts	Energy poor households
Number of renovated buildings	2
Resulted cumulative final energy savings (GWh)	0.118
Resulted cumulative primary energy savings (GWh)	0.311
Resulted cumulative CO₂ reduction (ktn CO₂)	0.042
Resulted employment impacts (person-years)	12.8
Resulted cumulative multiple benefits (million €)	0.0025
Required new investments (million €)	0.826

10 Monitoring and evaluation framework

A holistic monitoring and evaluation framework will be established in order to monitor and assess the implementation of the building renovation roadmap and the realization of the planned investments.

The proposed monitoring and evaluation mechanism consists of seven different sub-mechanisms, which are related either directly or indirectly (coordination, monitoring, measurement, data collection, control and verification, reporting and evaluation mechanisms) as depicted in Figure 40.




Figure 38. Overview of the sub-mechanisms within the established monitoring and evaluation framework.

The Municipality of Brezovo is the responsible authority for the proposed monitoring and evaluation mechanism.

The role of the coordination sub-mechanism is considered the most important one, as it will facilitate the efficient cooperation and implementation of the remaining six sub-mechanisms, ensure the coherence of the monitoring and evaluation mechanism with the energy efficiency and RES investments and create the appropriate conditions of commitment and trust among the involved authorities and bodies.

The coordination sub-mechanism should be developed to facilitate the vertical and horizontal coordination of the planned activities. Vertical coordination ensures effective communication and administration among the different governmental levels, namely national, regional and local levels for designing and implementing energy efficiency policies and/or concrete measures. Horizontal coordination enables the effective communication and administration of the different energy efficiency measures, schemes of programmes at the same level.

The monitoring sub-mechanism aims at the continuous monitoring of the implemented energy efficiency and RES implementation activities and the delivered impacts so as to initiate the appropriate measures in the case that the progress is not assessed as satisfactory and according to the roadmap. The monitoring sub-mechanism should be based on the combination of top-down and bottom-up monitoring. The top-down monitoring will be carried out with the monitoring of specific statistical data at national and sectoral levels about the evolution both of the final energy consumption and the energy poverty. Simultaneously, the framework for bottom-up monitoring should be established for collecting information on the number of renovated buildings. It should be pinpointed that the introduction of bottom-up monitoring affects the implementation of the measurement, control, verification and data collection procedures.

The development of the measurement sub-mechanism should be implemented taking into consideration the provisions of Annex V of the Directive 2023/1791/EE. Specifically, the calculation of the achieved energy savings could be conducted through the utilization of five different calculation methods (deemed savings, metered savings, scaled savings, surveyed savings and savings of people affected by energy poverty, vulnerable customers, people in low-income households and, where applicable, people living in social housing based on engineering estimates using standardized occupancy and thermal comfort conditions or parameters).

The data collection sub-mechanism should consist of six different steps. Initially, the energy efficiency and RES investment should be selected for monitoring and assessment in Step 1. Then, the various types of data, which should be collected, have to be identified within the context of Step 2. The selection of the required data must be done along with the measurement method either top-down or bottom-up, which has been developed for each energy efficiency and RES investment separately.

After the identification of the data, the available data sources should be mapped in Step 3, while the responsible body and the respective procedure for the collection of the identified data must be specified. It is crucial to define with clarity what type of data should be collected by each involved body, how these data will be analysed and by whom. Step 4 foresees the collection of the required data from the identified data sources.

Moreover, a specialized procedure should be implemented so as to control and validate the collected data in accordance with specific criteria, such as their accuracy, robustness and coherence within the control and verification sub-mechanism in Step 5. Indicative methods in order to validate the compliance with these criteria include the evaluation of the closeness between the estimated results and the true values, the comparison of the obtained results with the respective ones over time and from other spatial domains and the comparison of the estimated results with the corresponding ones from different sources or methods. Finally, a combination of verification and control techniques (plausibility check, desktop checks, on-site checks on a specific sample and extrapolation to the total investments) to the collected data should be conducted in Step 6 so as to ensure the quality of the collected data as displayed in Figure 41.




Figure 39. Steps for the conduction of the required control and verification activities.

The reporting of the implemented energy efficiency and RES investments should be performed on an annual basis within the framework of the reporting sub-mechanism. The actual budget and the quantified impacts should be reported for each energy efficiency and RES investments separately. The calculation of the delivered energy savings will be performed in accordance with the selected measurement protocol. Moreover, additional quantitative information about the implementation of energy efficiency and RES investments should also be provided. It should be noted that the quantitative information must be linked with the developed bottom-up equations within the bottom-up monitoring. The required data will be collected by the implementation both of the foreseen top-down and bottom-up monitoring procedures.

Finally, all the implemented energy efficiency and RES investments should be evaluated within the framework of the assessment sub-mechanism through the conduction of cost-effectiveness and cost-benefit analyses. The analysis aims to assess the effectiveness of the implemented investments to decide either their continuation, or their improvement or their replacement with new more effective so as to achieve the specified renovation targets.

A template for the collection of the required data including the establishment of the appropriate data collection procedures will be prepared. The potential deviations for all the monitored indicators will be estimated taking into consideration the expected performance in the examined year according to the provisions of the building renovation roadmap compared to the actual ones.

The assessment of the implemented policies and measures can be performed at least using the following indicators:

- Investment cost/Final energy savings (million €/GWh)
- Investment cost/Primary energy savings (million €/GWh)
- Investment cost/CO₂ emission reduction (million €/ktn CO₂)
- Public funds/Final energy savings (million €/GWh)
- Public funds/Primary energy savings (million €/GWh)
- Public funds/CO₂ emission reduction (million €/ktn CO₂)
- Private funds/Final energy savings (million €/GWh)
- Private funds/Primary energy savings (million €/GWh)

- Private funds/CO₂ emission reduction (million €/ktn CO₂)

Last but not least, the potential adjustment of the building renovation roadmap should be initiated in the case of deviations from the planned renovation rate and the foreseen investments. A threshold should be specified for potential deviations (such as indicatively 10% deviation) in order to activate the adjustment of the building renovation roadmap taking into account the concluded outcomes from the assessment of the already implemented policies and measures and identifying an updated pathway for the attainment of the renovation targets.